Justbottix & Justbottix Plus

The Adhesive Tape for Any Flooring Project





A poly-acrylic double-sided adhesive tape with a reinforced scrim & a durable tear-resistant, lightweight re-applicable white/brown release liner.

TurboSTIX® adhesive tape for flooring is odorless, non-toxic, and aggressive. This product is available in many different sizes and bonds to a variety of materials. TurboSTIX® adhesive tapes are used for repairs and permanent installations in light-weight to heavy-duty applications.

FEATURES:

- Aggressive for light to heavy duty applications
- Immediate-use application tape with no dry time
- Odorless, virtually VOC free
- Non-toxic
- Easy-to-use roll

- Used for indoor projects
- Created in house, which allows us to supply custom lengths and widths
- Durable, lightweight re-applicable liner





WHERE TO USE

COMMERCIAL & MANUFACTURING:

- Vinyl transition strips
- Treads & risers
- Small jobsite repairs
- Carpet wall base & vinyl and rubber cove base
- Vinyl interior trim and moldings
- Installing temporary expo/showroom floors
- Holding seams during the manufacturing process

RESIDENTIAL / HOUSEHOLD:

- · Great for small repairs
- Arts and crafts
- Holding seams prior to sewing
- Gift wrapping
- Scrapbooking
- Laying carpets and/or rugs

TURBOSTIX® PLUS

PRE-CURED, DOUBLE-SIDED ADHESIVE TAPE

TurboSTIX® Plus is a pre-cured, double-sided adhesive tape for the rapid and permanent installation of a wide variety of commercial flooring.

TurboSTIX® Plus has been designed specifically to provide instant bond and instant utilization for commercial flooring installations.

FEATURES & BENEFITS:

- Direct on-site substrate application
- Aggressive bond strength
- Pre-cured, no dry time
- Allows for immediate access to foot traffic and welding
- · Moisture resistant
- · Virtually VOC free, odorless
- Non-toxic
- Durable lightweight re-applicable
- Protective liner
- · No mixing required





WHERE TO USE

COMMERCIAL INTERIORS:

- Office buildings
- Retail spaces
- Hotel rooms
- Lobbies
- Convention centers
- Airports
- Hallways/ corridors
- Restaurant dining areas

RESIDENTIAL INTERIORS:

- Great for small repairs
- Arts and crafts
- Holding seams prior to sewing
- · Gift wrapping
- Scrapbooking
- Laying carpets and/or rugs

INSTITUTIONAL INTERIORS:

- · Waiting areas
- Hospitals
- Medical offices
- K-12, higher education
- Libraries and government buildings

SUBSTRATE See full **installation instructions** for more information on suitable substrates, available online.

PRODUCT SPECIFICATIONS

SPECS		
Adhesive	Solvent-free, Acrylic Dispersion	
Thickness	0.23 mm	
Adhesive Carrier	Polyester Scrim	
Covering Material	Brown Silicon Paper	
Peeling Resistance	AFERA 4001 P11 30 N / 25 mm	
Elongation at Break	DIN 53112	
Tear Resistance	DIN 53112	
Temperature Range	-30° up to 120° C	
Condensation Water Resistance	Good	
Aging Resistance	Very Good	
Softener Resistance	Very Good	
Adhesive Characteristics	Aggressive	

For additional information, including Sales Flyers, Installation Instructions, Spec Sheets, Adhesive Safety Data Sheet, Safety Data Sheet, Technical Data Sheets, Instillation Instructions, Instillation Videos, and more, visit us online at Baseking.com.

PRODUCT LIST

TURBOSTIX®

TURBOSTIX® PLUS

	ITEM #	DIMENSIONS	CASE QTY (ROLLS PER CASE)
•	310	½" x 164 LF roll	20
	420-5	1" x 164 LF roll	5
	420-12	1" x 164 LF roll	12
	420-12	1-½" x 164 LF roll	8
	450	2" x 164 LF roll	6
	572	3" x 164 LF roll	4
	585	3-½" x 164 LF roll	3
	644	6" x 164 LF roll	2
	922	9-½" x 164 LF roll	1
	5222	9-½" x 164 LF roll + 1-½" x 164 LF roll	1 (ROLL OF EACH SIZE)
	6300	12" x 164 LF roll	1
Γ	TS-7-02	2" x 100 LF roll	1
	TS-7-06	6"x 100 LF roll	1
	TS-7-12	12"x 100 LF roll	1
	TS-7-18	18"x 100 LF roll	1
	TS-7-24	24"x 100 LF roll	1
•	TS-7-36	36"x 100 LF roll	1
Custom sizes available, contact your sales rep fo			for more

Custom sizes available, contact your sales rep for more information.

WARRANTY INFORMATION

TURBOSTIX® BOASTS A LIMITED MANUFACTURER'S WARRANTY

TurboStix® double-sided, multi-use adhesive tape has a limited warranty to be free from manufacturing defects for a period of 90 days from the date of purchase. This warranty does not cover accidental damages, unreasonable or improper use, normal wear and tear, loss of use, or consequential damages. For additional warranty information, please contact our office.